

Sanyo



SANYO ELEVATOR CO., LTD

Add: Zhangjiang Hi-Tech Park, Pudong district, Shanghai, China

Tel:+86572-2630228

Fax:+86572-2630225

Http://www.sanyo-tech.com


E-mail: info@sanyo-tech.com

This print is for reference only. The company reserves the right to change product designs and specifications at any time. The information contained in this publication does not constitute an express or implied warranty or promise as to the suitability, merchantability, quality or the terms of any purchase agreement for the product and its particular use.



SANYO Zhen  
Series Home Elevator

EXQUISITE QUALITY  
INNOVATIVE  
TECHNOLOGIES



Comfortable



High-quality



Intelligent



## BEYOND IMAGINATION BRAND NEW VILLA LIFESTYLE

Continuing Nordic design aesthetics, traditional exquisite craftsmanship is combined with modern design practice, to improve the quality of life and happiness at home.



### Exquisite space

Panoramic sightseeing glass shaft, exquisite and transparent; The inner wall of elevator is beautiful and elegant, creating an artistic living space, allowing you to enjoy the journey by elevator.



### Luxury quality

Preferred materials combined with innovative technology, every detail brings comfortable touch and luxurious experience to users such as carpet, lighting, control panel and so forth.

DEDICATED TO  
GUARDING THE  
SENSE OF SECURITY  
OF THE FAMILY



### Intelligent Elf Remote interconnection, one-click control

It integrates touch sensing, remote data monitoring and other functions to guarantee the safety of elevators at any time.

#### Security frame

Three-sided safety frame protection prevents accidental touch or sticking when the elevator is running.

#### Safety glass

High-strength double-layer laminated glass eliminates the risk of glass fragmentation.

#### Child lock function

Equipped with safety child lock to prevent children from the risk of taking the elevator alone.

#### Safety elevator roof

Prevent foreign objects from entering the hoistway when it is not completely closed.

#### Emergency level of power outage

Enter the emergency level mode and stop at the nearest floor in case of power failure.

#### Fall detection alarm

If a person is trapped or falls down, automatic visual inspection will give an alarm.

#### One-click call for help

In case of sudden failure, the preset emergency contact person can be called with one click.

#### Purification system

Anion and ultraviolet double purification and sterilization system can conduct a deep purification and deodorization, and intelligent sterilization, so as to protect the family health.

#### Intelligent elevator calling

Health and intelligent calling modes such as face recognition calling, voice calling and fingerprint recognition calling can be customized.

#### Stop when overload

When the rated load is exceeded, the alarm sounds and the elevator cannot run up and down.

# FLEXIBLE LAYOUT ENJOY THE BEAUTY OF LIFE

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.

## Diversified layout



Installation scheme of hollow hall



Installation scheme of staircases wrapping



Installation scheme of floor center



Scheme of small space bottomless pit in penthouse apartment



## Aluminum alloy derrick

Integrated sightseeing special aluminum alloy derrick with built-in driving system and compact structure.

## Enlarge space

No side wall saves the hoistway space and enlarges elevator space.



## Flexible adaptation

The requirements of top floor and pit are extremely low, which can adapt to various land construction requirements.





## FASHIONABLE APPEARANCE KEEPING UP WITH THE TREND OF HOME

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.



Pine green (Optional)



Prussian blue (Optional)



Glaze red (Optional)




Jazz grey (Optional)

# DOOR SYSTEM

## DO1

Sliding door



## DO2

Single leaf automatic swing door



## DO3

Center split automatic swing door



# SMART CONTROL PANEL/HOP



## COP19

Optional

13.3-inch touch screen



## COP22


Optional

13.3-inch touch screen



## HB15

Optional



## HB17

Optional

# ART BACKPLANE



## G901

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet




## G904

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



## G912

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



## G915

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet

# ART BACKPLANE



## G901S


Optional

Hoistway ceiling: Glazed acrylic, ambient light

Hoistway sealing plate: Aluminum paint board, 6000k ambient light

Platform backplane: Patented UV printed nano light guide plate, inlaid green diamond breathing flash lamp, 6000K atmosphere lamp in the frame

Platform floor: Parquet solid wood floor edged with aluminum profile



## G902S


Optional

Hoistway ceiling: Starry sky top, line lamp

Hoistway sealing plate: Aluminum paint board, 6000k ambient light

Platform backplane: Patented UV printed nano light guide plate, inlaid yellow diamond breathing flash lamp, 6000K atmosphere lamp in the frame

Platform floor: Alpine blue rock plate edged with aluminum profile



## G906S

Optional

Hoistway ceiling: Apple silver carbon crystal plate, linear light, downlight

Hoistway sealing plate: Metal paint panel, 6000k ambient light

Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness

Platform floor: Rock plate edged with aluminum profile



## G908S

Optional


Hoistway ceiling: Water corrugated carbon crystal plate, linear lamp

Hoistway sealing plate: Bamboo fiber board with metal dividers, linear lights on both sides, 15mm thickness

Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness

Platform floor: Rock plate edged with aluminum profile

# ART BACKPLANE



## G918

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



## G925

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet




## G932

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



## G936

Optional

Light: 3000-6000K adjustable color temperature, music lights

Light guide: High-transmittance light guide plate, paper textured resin

Wood finish: Black oak wood finish

Frame color: Black

# ART BACKPLANE



**G901G**

Optional

Ceiling: Bright and transparent ceiling  
 Backplane: Rock board, carbon crystal board, atmosphere light  
 Side wall: Transparent glass  
 Handrail: Stainless steel handrail  
 Floor: Woven carpet



**G902G**

Optional

Ceiling: Transparent white roof  
 Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light  
 Side wall: Transparent glass  
 Handrail: Stainless steel handrail  
 Floor: Woven carpet



**G903G**

Optional

Ceiling: Painted ceiling  
 Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light  
 Side wall: Transparent glass  
 Handrail: Wood grain handrail  
 Floor: Woven carpet



**G904G**

Optional

Ceiling: Starry sky ceiling, linear light  
 Backplane: Rock board, carbon crystal board, atmosphere light  
 Side wall: Transparent glass  
 Floor: Woven carpet

# OTHER DECORATION

## Ceiling



C905  
Optional



C907  
Optional




C908  
Optional



C909  
Optional




C910  
Optional



C911  
Optional



C912  
Optional



C913  
Optional



## Floor



DB16  
Optional



DB17  
Optional




DB18  
Optional

## Floor -PVC



DB25  
Optional



DB26  
Optional


# FUNCTION TABLE

Note: "●" is a standard function and "○" is an optional function

Smart Big Screen	VVVF Drive	Ground Foot Switch
Overload Holding Stop	Emergency Car Lighting	Energy-saving Car Illumination Function
One-click Call	Upward Over-speed Protection Device	Downward Over-speed Protection Device
Power Failure Emergency Levelling Device	Intelligent Voice Assistant	Ambient Light Can Be Adjusted Freely
Stereo Surround Sound	Noise Cancelling Voice Microphone	Exclusive Interface Customization

Voice Announcer	IC Card Control Function	Voice Calm Function
Intelligent Voice Call	Face recognition call	Intelligent Light Control
Fall Detection Alarm	Remote Data Monitoring	Call Elevators By Fingerprints
One-click Self-rescue Function	Child Safety Lock Function	Privacy Security Settings

# TECHNICAL PARAMETER



RATED LOAD	RATED SPEED	LIFTING HEIGHT	LANDING
260	0.25-0.3m/s	2.5-15m	2-6storey
320	0.25-0.3m/s	2.5-15m	2-6storey
400	0.25-0.3m/s	2.5-15m	2-6storey

FRAME SIZE	WIDTH DEPTH	980	1080	1180	1280	1380	DOOR OPENING WIDTH
		RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	
REAR COUNTER-WEIGHT	950	900*600	900*700	900*800	900*900	900*1000	700
	1050	1000*600	1000*700	1000*800	1000*900	1000*1000	800
	1150	1100*600	1100*700	1100*800	1100*900	1100*1000	800
	1250	1200*600	1200*700	1200*800	1200*900	1200*1000	800
	1350	1300*600	1300*700	1300*800	1300*900	1300*1000	800
SIDE MOUNTED COUNTER-WEIGHT	950	800*900	800*1000	800*1100	800*1200	800*1300	600
	1180	800*900	800*1000	800*1100	800*1200	800*1300	600
	1230	850*900	850*1000	850*1100	850*1200	850*1300	650
	1280	900*900	900*1000	900*1100	900*1200	900*1300	700
	1330	950*900	950*1000	950*1100	950*1200	950*1300	750
	1380	1000*900	1000*1000	1000*1100	1000*1200	1000*1300	800

Note: The reserved size of hoistway should be greater than or equal to the frame size plus 20mm, the speed is 0.25-0.3m/s, and the pit is greater than or equal to 100mm

# A LIFE CYCLE SERVICE SOLUTION

Choose Danspace, and we will provide you with tailor-made life cycle service solutions. From early demand analysis, to mid-term land construction survey, scheme customization, installation and debugging, then to later maintenance and renovation services, one-stop worry-free service, you will live a worry-free life.



## Demand analysis

Call Danspace's national service hotline 400-8875-078, and we will send a professional team to visit you at the agreed time to analyze your needs.




## Site investigation

Professional engineers will determine the installation location and construction blueprint based on your building structure, site measurement data.



## Plan making

Contract and customize your home elevator solution based on site data and construction blueprints.



## Door-to-door installation

With us or an authorized partner, the elevator will be delivered to the location agreed with you, and the elevator will be installed and adjusted until it is stable.



## Regular maintenance

After the elevator is put into operation, it will also provide you with a scientific maintenance plan. The professional maintenance team and the remote monitoring system of the Internet of Things will take care of your elevator in real time and maintain it in time to keep it in good running condition.